

Girlguiding Risk Assessment

Site:	Blackland Farm	Assessment No.	BF/UNS/16
Assessor	Thomas Webb-Bowen	Description of Building or Area	Aeroball, Bouldering Wall, Low Ropes Course, Maze & Tunnels Course, Pushball
Date of Assessment	25/06/2016 (Reviewed 07/04/17)		
Task/Activity/Process/Equipment	Unsupervised Activities		
Technical Advisor (if applicable)	n/a		
Persons Name (If Applicable to vulnerable Groups etc)	n/a	Equipment used (if applicable)	Helmets for Lowropes & Bouldering Wall
When identifying HAZARDS consider:			
a) The Task (Who, What, Where, When, How)			
b) The environment (temperature, noise, lighting, dust, fumes)			
c) Materials, Equipment, and Substances (machinery, tools, chemicals, etc)			



RA REF No.	Hazard	Description of potential accident/injury/loss	Persons affected	Precautions/Controls already in place	Risk Rating Factor=SxL			Further control measures required?	Action By Whom	To be completed by (Date)
					Severity	Likelihood	Factor			
UNS/16/01	Aeroball - Injury through improper use (REF ASSESSMENT No. BF/AER/16)	Improper use could lead to minor injury to customers	Customers	Maximum 1 participant per trampoline. Supervisor must read and sign Conditions of use form, which makes them aware of hazard and directs them of proper use. Supervisor must not participate in the activity.	2	2	4	See Conditions of Use for more information for this Activity. Monitor		
UNS/16/02	Bouldering Wall - Falling to ground	Falling off the Bouldering Wall could lead to a minor injury	Customers	Maximum 12 participants. Supervisor must read and sign Conditions of use form, which makes them aware of hazard and directs them of proper use. Must not climb higher than marked area. Should 'spot' each other. Must wear helmets. Holds placed at low level to stop/prevent high vertical climb. Supervisor must not participate in the activity.	2	3	6	See Conditions of Use for more information for this Activity. Monitor		
UNS/16/03	Low Ropes - Falling to ground	Falling off the Low Ropes course could lead to injury	Customers	Maximum 12 participants. Supervisor must read and sign Conditions of use form, which makes them aware of hazard and directs them of proper use. Supervisor must not participate in the activity.	2	3	6	See Conditions of Use for more information for this Activity. Monitor		
UNS/16/04	Maze - Falling over & Nettles and Over Grown Branches	Falling over and improper maintenance could lead to a minor injury	Customers	Maximum 12 participants. Supervisor must read and sign Conditions of use form, which makes them aware of hazard and directs them of proper use. Pathways kept clear of unnecessary obstruction. Nettles and plants kept under control to ensure clear pathways. Supervisor must not participate in the activity.	2	2	4	See Conditions of Use for more information for this Activity. Monitor		
UNS/16/05	Tunnels - Hitting head on roof of tunnels	Minor head injury	Customers	Maximum 12 participants. Supervisor must read and sign Conditions of use form, which makes them aware of hazard and directs them of proper use.	2	2	4	See Conditions of Use for more information for this Activity. Monitor		
UNS/16/06	Tunnels - Slipping on top of tunnels	Improper use could lead to minor injury to customers	Customers	hazard and directs them of proper use and not to climb or walk on top of the tunnels complex.	2	2	4	See Conditions of Use for more information for this Activity. Monitor		
UNS/16/07	Pushball - Small child getting squashed by the ball or knocked over	Improper or Unsupervised use could lead to minor injury	Customers	Adult supervision at all times to ensure activity is played at suitable speed for size of people taking part	2	3	6	Monitor		
UNS/16/08	Pushball - Falling off the top of the pushball	Improper or Unsupervised use could lead to major injury	Customers	Participants warned about the hazards of climbing onto the ball. Adult supervision required at all times	4	2	8	Monitor		
UNS/16/09	Pushball - Unauthorised use of Pushball	Improper or Unsupervised use could lead to major injury	Customers	Pushball is locked in Indoor Wall when not in use. Adult supervision is required when in use.	4	2	8	Monitor		